



The DNS Horror Show

DNS-Violations Project

Ondřej Surý • ondrej.sury@nic.cz • 26. 3. 2017

DNS Violations Project

- DNS is complex!
- There's a lot of DNS protocol violations "out there"
- DNS Resolvers just "cope" with that
- We started doing internal list
- Idea: Let's make this community effort
- DNS Violations project was born

Purpose

- To better understand the breakages of the DNS protocol
- To make DNS better
- To share knowledge
- For Authoritative DNS implementors, to avoid common pitfalls
- For DNS Resolver implementors, to verify they can handle it

Common Violations

- CDNs have a special department in hell
- Garbage at the end of packet
- Case-sensitive DNS servers
- QNAME Minimization
 - Empty Non-Terminals: NXDOMAIN vs NODATA
- EDNS-related breakages
- General protocol ignorance
- DNSSEC-related brokenness
- Unknown RRType

“Generated” NS records

- DVE-2017-0002: KMPMedia generate invalid nameservers
 - NS records generated on the fly
 - This might break strict QNAME minimization

```
;; QUESTION SECTION:  
;; 8107.kmpmedia.net.
```

```
IN NS
```

```
;; ANSWER SECTION:
```

```
8107.kmpmedia.net. 300 IN NS n1.8107.kmpmedia.net.  
8107.kmpmedia.net. 300 IN NS n2.8107.kmpmedia.net.  
8107.kmpmedia.net. 300 IN NS n5.8107.kmpmedia.net.  
8107.kmpmedia.net. 300 IN NS n6.8107.kmpmedia.net.  
8107.kmpmedia.net. 300 IN NS n7.8107.kmpmedia.net.
```

Case sensitive nameservers

- DVE-2017-0003: McAfee nameservers silently break when 0x20 randomization is used
 - So called 0x20 technique might be used to add more entropy to outgoing queries (make the case random per-letter)
 - local.cloud.mcafee.com fails to provide correct answer if upper-case is used in QNAME

```
;; ->>HEADER<<- opcode: QUERY; status: NOERROR; id: 40072
;; Flags: qr aa rd; QUERY: 1; ANSWER: 1; AUTHORITY: 1; ADDITIONAL: 0
;; QUESTION SECTION:
;; b-0.19-23003008.1481.1518.19cf.3ea1.410.0.ekzijnekvvg7gb38qcwur561b.avqs.mcafee.com.      IN      A
```

```
;; ->>HEADER<<- opcode: QUERY; status: NXDOMAIN; id: 49080
;; Flags: qr aa rd; QUERY: 1; ANSWER: 0; AUTHORITY: 1; ADDITIONAL: 0
;; QUESTION SECTION:
;; b-0.19-23003008.1481.1518.19cf.3ea1.410.0.ekzijnekvvg7gb38qcwur561B.avqs.mcafee.com.      IN      A
```

Case sensitive nameservers

- DVE-2017-0006: CDNetworks Co. nameserver fails to honour 0x20
 - {ns1,ns2,ns3,ns4}.panthercdn.com. return RCODE=REFUSED when there's upper-case in QNAME

```
;; ->>HEADER<<- opcode: QUERY; status: NOERROR; id: 51999
;; Flags: qr aa rd; QUERY: 1; ANSWER: 0; AUTHORITY: 1; ADDITIONAL: 0
;; QUESTION SECTION:
;; p7677.cdngc.net.          IN      A
```

```
;; ->>HEADER<<- opcode: QUERY; status: REFUSED; id: 11762
;; Flags: qr aa rd; QUERY: 1; ANSWER: 0; AUTHORITY: 0; ADDITIONAL: 0
;; QUESTION SECTION:
;; p7677.CDNgc.net.         IN      A
```


Malformed packets on EDNS queries

- DVE-2017-0004: *.webcfs00.com nameservers produces malformed packets with EDNS
 - NOTE: EDNS was standardized 18 years ago!

```
$ dig +edns=0 @ns01.webcfs00.com. IN A
726170696473736c2d63726c.67656f7472757374.636f6d.80hc70747be.webcfs00.com.
;; Got bad packet: FORMERR
118 bytes
e4 1b 84 00 00 01 00 01 00 00 00 00 18 37 32 36          .....726
31 37 30 36 39 36 34 37 33 37 33 36 63 32 64 36          170696473736c2d6
33 37 32 36 63 10 36 37 36 35 36 66 37 34 37 32          3726c.67656f7472
37 35 37 33 37 34 06 36 33 36 66 36 64 0b 38 30          757374.636f6d.80
68 63 37 30 37 34 37 62 65 08 77 65 62 63 66 73          hc70747be.webcfs
30 30 03 63 6f 6d 00 00 01 00 01 00 00 00 00 00          00.com.....
00 00 00 00 00 00 c0 0c 00 01 00 01 00 00 38 40          .....8@
00 04 cc d4 aa 69                                         .....i
```

Malformed packets on EDNS queries

- DVE-2017-0012: České Radiokomunikace a.s. CDN nameservers provide malformed response when EDNS is used
 - NOTE: EDNS was standardized 18 years ago!

```
$ dig +norec +edns=0 IN NS se04.se.prima-vod-prep-sec.service.cdn.cra.cz @sr01.cdn.cra.cz.
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOTIMP, id: 31825
;; flags: qr ad; QUERY: 1, ANSWER: 0, AUTHORITY: 0, ADDITIONAL: 0

;; WARNING: EDNS query returned status NOTIMP - retry with '+noedns'
;; WARNING: Message has 11 extra bytes at end

;; QUESTION SECTION:
;se04.se.prima-vod-prep-sec.service.cdn.cra.cz. IN NS

;; Query time: 0 msec
;; SERVER: 82.99.164.132#53(82.99.164.132)
;; WHEN: Thu Jan 26 10:38:50 CET 2017
;; MSG SIZE rcvd: 74
```

Future EDNS Version Errors

- EDNS Compliance Project by Mark Andrews @ ISC
 - <https://ednscomp.isc.org/>
- DVE-2017-0005: Google DNS returns incorrect response to EDNS(1)
 - Google DNS returns a packet with no Question section
 - The minimal response MUST be the DNS header, question section, and an OPT record.

```
;; ->>HEADER<<- opcode: QUERY, status: BADVERS, id: 54428
;; flags: qr rd ra; QUERY: 0, ANSWER: 0, AUTHORITY: 0, ADDITIONAL: 1
```

```
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; Query time: 6 msec
;; SERVER: 8.8.8.8#53(8.8.8.8)
;; WHEN: Thu Jan 26 11:42:30 GMT 2017
;; MSG SIZE rcvd: 23
```

CDN: Who cares about standards...

- DVE-2017-0007: České Radiokomunikace a.s. CDN nameservers fails to provide answer to NS queries
- DVE-2017-0011: GitBook CDN nameservers return A records on any QTYPE query
- DVE-2017-0007: České Radiokomunikace a.s. CDN nameservers fails to provide answer to NS queries
- DVE-2017-0007: (fixed) České Radiokomunikace a.s. CDN nameservers sets AD bit on every response

Breaks QNAME Minimization

- Empty Non-Terminals
 - `www.ent.dns.rocks. IN AAAA → 2001:1488:0:3::5`
 - `ent.dns.rocks. → RCODE=NOERROR + SOA`
- DVE-2017-0007: České Radiokomunikace a.s. CDN nameservers fails to provide answer to NS queries
 - `dig IN NS se04.se.prima-vod-prep-sec.service.cdn.cra.cz @sr01.cdn.cra.cz. → RCODE=NOTIMPL`
- DVE-2017-XXXX: Akamai nameservers return NXDOMAIN for ENTs
 - `dig IN A gov.edgekey.net. @a12-65.akam.net. → RCODE=NXDOMAIN`
 - RFC8020: NXDOMAIN: There Really Is Nothing Underneath

DNSSEC related: Invalid unsigned delegation

- DVE-2017-0008: Cloudflare omits SOA from NOERROR/NODATA response to DS query
 - info.nominet.uk. is insecure delegation from secure nominet.uk. zone
 - Fails to include NS + SOA in negative answer

```
kdig +dnssec +nored @173.245.58.93 info.nominet.uk IN A
;; ->>HEADER<<- opcode: QUERY; status: NOERROR; id: 62691
;; Flags: qr aa; QUERY: 1; ANSWER: 0; AUTHORITY: 5; ADDITIONAL: 1
```

```
kdig +dnssec +nored @173.245.58.93 info.nominet.uk IN DS
;; ->>HEADER<<- opcode: QUERY; status: NOERROR; id: 24442
;; Flags: qr aa; QUERY: 1; ANSWER: 0; AUTHORITY: 2; ADDITIONAL: 1
```

DNSSEC related: broken signing(?)

- DVE-2017-0009: axc.nl bogus DNSSEC denial of existence
 - Returns NODATA instead of NXDOMAIN
 - IN TLSA_25._tcp.cameras-kopen.nl @159.253.0.110 → RCODE=NOERROR
 - Invalid NSEC chain excluding wildcard

```
mwalet.nl.           86400   IN      NSEC    mwalet.nl. A NS SOA MX TXT RRSIG NSEC DNSKEY
mwalet.nl.           86400   IN      RRSIG   NSEC 8 2 86400 20170316000000 20170223000000 53476 mwalet.nl.
```

- DVE-2017-0010: infracom.nl bogus DNSSEC denial of existence
 - Cycle in the wildcard NSEC record:

```
*.fivelpoort.nu.    NSEC    *.fivelpoort.nu. CNAME RRSIG NSEC
```

“DNS must be easy” class of errors

- DVE-2017-0011: GitBook CDN nameservers return A records on any QTYPE
 - and failed to set **AA** bit in the responses (some of it has been fixed)

```
;; ->>HEADER<<- opcode: QUERY; status: NOERROR; id: 40264  
;; Flags: qr rd; QUERY: 1; ANSWER: 1; AUTHORITY: 0; ADDITIONAL: 0
```

```
;; QUESTION SECTION:
```

```
;; cdn.gitbook.com.          IN      AAAA
```

```
;; ANSWER SECTION:
```

```
cdn.gitbook.com.          3600   IN      A      95.85.1.232
```


Misc Protocol Errors

- DVE-2017-0007: České Radiokomunikace a.s. CDN nameservers sets AD bit on every response
 - This one got fixed
 - (DNSSEC) AD flag doesn't make sense for authoritative servers
 - But the answer for non-auth is still wrong

```
; <<>> DiG 9.10.3-P4-Debian <<>> +norec +noedns IN A example.com. @sr01.cdn.cra.cz.  
;; global options: +cmd  
;; Got answer:  
;; ->>HEADER<<- opcode: QUERY, status: NXDOMAIN, id: 16639  
;; flags: qr ad; QUERY: 1, ANSWER: 0, AUTHORITY: 0, ADDITIONAL: 0
```

```
$ kdig +norec +noedns IN A example.com. @master.dns.rocks  
;; ->>HEADER<<- opcode: QUERY; status: REFUSED; id: 64833  
;; Flags: qr; QUERY: 1; ANSWER: 0; AUTHORITY: 0; ADDITIONAL: 0
```

No Response Issue

- DVE-2017-0014: domaincontrol.com nameservers filter TLSA queries
 - Got fixed!

```
$ kdig IN TLSA _25._tcp.svr-zeta.uspta.org @216.69.185.50
;; connection timed out; no servers could be reached
```

```
$ kdig IN A _25._tcp.svr-zeta.uspta.org @216.69.185.50
;; ->>HEADER<<- opcode: QUERY, status: NXDOMAIN, id: 18411
;; flags: qr aa; QUERY: 1, ANSWER: 0, AUTHORITY: 8, ADDITIONAL: 1
```

Do you want to build a ... DNS resolver?



Violation Submission

- Community Effort
- Anyone can submit
- Consists of:
 - DVE-<year>-####: short description
 - Description
 - Evidence (textual + dnstap)
 - Proposed fix/Workaround
 - DNS Operator/Vendor Response
 - Metadata
 - Submit-Date
 - Report-Date
 - Fixed-Date
 - ...

What can we do about it?

- DNS Resolver Vendors
 - Be patient, educate
 - Coordinate
 - Make a plan to remove the workarounds
 - Stop resolving the most blatant violations
- DNS Community
 - Be inclusive
 - Invite the CDN people
- ???



Questions?

Ondřej Surý • ondrej.sury@nic.cz • 7. 3. 2017